Subject Index

A
AAAP family
  transporters for nitrogenous solutes and, 669–72
AAD1 gene
  seed-storage lipid biosynthesis and, 345
ABC proteins
  guard cell signal transduction and, 640
Abies spp.
  defensive resin biosynthesis in conifers and, 690, 698–99, 704, 708, 710, 712
Abiotic stimuli
  guard cell signal transduction and, 633–34
  mitochondria and oxidative stress, 561–82
Abrus precatorius
  ribosome-inactivating proteins and, 786
Abscisic acid
  cohesion-tension and water uptake, 866–67
  guard cell signal transduction and, 627, 639–43
Acer pseudoplatanus
  plant phospholipases and, 224
Acetabularia acetabulum
  tonoplast transporters and, 476
Acetobacter xylinum
  ascorbic acid biosynthesis and, 443
Acetylene groups
  seed-storage lipid biosynthesis and, 335–54
Actin filaments
  guard cell signal transduction and, 631–32
Actinidia spp.
  cytokinin metabolism and action, 106
Actinodaphne hookeri
  seed-storage lipid biosynthesis and, 352
Activated methyl cycle
  one-carbon metabolism and, 127–28
Active site metal clusters
  Mo-based nitrogenase and, 269, 276–80
Acyl-ACP thioesterases
  seed-storage lipid biosynthesis and, 340–41
Acyl groups
  seed-storage lipid biosynthesis and, 335–54
Acyltransferases
  seed-storage lipid biosynthesis and, 342–44
Adaptive significance
  circadian rhythms and, 153–54
Adenine-type cytokinins
  cytokinin metabolism and action, 91–94, 96
Adenosine triphosphate (ATP)
  isoprene emission and, 407
  plasma membrane H^+-ATPases and, 832
S-Adenosylhomocysteine
  one-carbon metabolism and, 127–28
S-Adenosylmethionine
  one-carbon metabolism and, 127–28
ADP-ribose
  cyclic
    guard cell signal transduction and, 635–36
Aerobic metabolism
  mitochondria and oxidative stress, 561–82
Agmatine
  alkaloid biosynthesis and, 41, 52
Agrobacterium tumefaciens
  alkaloid biosynthesis and, 51
  ascorbic acid biosynthesis and, 444
  cytokinin metabolism and action, 102, 106, 108
  fruit maturation and ripening, 732
  history of research, 1, 12, 14, 16
Ajmalacine
  alkaloid biosynthesis and, 44
Al^+
  organic anion exudation from roots and, 527, 533, 540–43
Aldonolactone dehydrogenases
  ascorbic acid biosynthesis and, 449–50
Aldonolactone oxidases
  ascorbic acid biosynthesis and, 449–50
Aleurone
  endosperm development and, 233, 251–55

gibberellin signaling and, 67, 79–81
Algae
ascorbic acid biosynthesis and, 446–48
macronutrient utilization and, 163–92
plant phospholipases and, 218
Alkaloid biosynthesis
benzylisoquinolone alkaloids, 36–41
biochemistry of pathways, 31–45
cell biology of pathways, 31–45
developmental regulation, 45–47
future research, 55
inducible expression, 47–49
introduction, 31–45
metabolic engineering applications, 51–55
miscellaneous alkaloids, 53–55
nicotine, 41–43, 53
polyamine derivatives, 53
promoter analysis, 49–51
purine alkaloids, 43
regulation of alkaloid biosynthetic genes, 45–51
signal transduction, 47–49
subcellular compartmentation of alkaloid biosynthetic enzymes, 43–45
terpenoid indole alkaloids, 31–36, 51–53
tissue-specific localization, 45–47
tropane alkaloids, 41–43, 53
Allium cepa
metabolic NMR and, 513
Altered function mutant
gibberellin signaling and, 70–71
Alveolus
endosperm development and, 241–46
Amaranthus edulis
molecular engineering of C_4 photosynthesis and, 300–1
American Association for the Advancement of Science (AAAS)
history of research, 24–25
Amino acid substitution studies
Mo-based nitrogenase and, 282–85
Amino acid transporters
transporters for nitrogenous solutes and, 659, 668–75
Ammonium
macronutrient utilization and, 165–74
transporters for nitrogenous solutes and, 659, 666–68
AMT family
transporters for nitrogenous solutes and, 667–69
α-Amylase
gibberellin signaling and, 79–81
Anabaena spp.
Mo-based nitrogenase and, 270
photosystem I and, 596–97
Anabasine
alkaloid biosynthesis and, 52–53
Angiosperms
endosperm development and, 233–58
Anion channels
guard cell signal transduction and, 640–42
organic anion exudation from roots and, 527–50
Antibiotics
history of research, 9
Anticlinal cell wall deposition
endosperm development and, 233
Antioxidants
isoprene emission and, 419–20
mitochondria and oxidative stress, 561–82
Antirrhinum spp.
fruit maturation and ripening, 731
APases
macronutrient utilization and, 187
APC family
transporters for nitrogenous solutes and, 669
Apoptosis
ribosome-inactivating proteins and, 784–804
Aquaporins
tonoplast transporters and, 469, 480–85
Arabidopsis thaliana
alkaloid biosynthesis and, 36
ascorbic acid biosynthesis and, 437–38, 440–41, 443–45, 449–56, 458
circadian rhythms and, 139–54
cohesion-tension and water uptake, 866
cytokinesis and cell plate building, 759, 762–65, 768–73
cytokinin metabolism and action, 97–98, 102–7, 109
defensive resin biosynthesis in conifers and, 711–12
endosperm development

and, 233, 235, 239–45, 248, 256–58
fruit maturation and ripening, 725, 727, 729–31, 733–35, 739
gibberellin signaling and, 67–81
guard cell signal transduction and, 629–42, 645–46
macronutrient utilization and, 166–70, 173–74, 176, 178–84, 187–89
molecular engineering of C_4 photosynthesis and, 304, 308
one-carbon metabolism and, 121–22, 126, 128–29
organic anion exudation from roots and, 532–33, 544, 547
photosystem I and, 595–98, 609, 612
plant phospholipases and, 213, 215, 217, 219–20, 223–25
plasma membrane H^+-ATPases and, 817–35
plastid division and, 315, 317, 319–21, 325–26
seed-storage lipid biosynthesis and, 341–42, 344–47, 349–51, 353–54
tonoplast transporters and, 472–81, 486, 488
transporters for nitrogenous solutes and, 662–80
Aromatic cytokinins
cytokinin metabolism and action, 93, 95
ARR genes
macronutrient utilization and, 180
Ars gene
macronutrient utilization and, 180, 185
Arum maculatum
mitochondria and oxidative stress, 576–77
Arylsulfatase
macronutrient utilization and, 180
Asclepias syriaca
seed-storage lipid biosynthesis and, 345
Ascorbate
mitochondria and oxidative stress, 579–81
Ascorbic acid
biosynthesis of
aldonolactone dehydrogenases, 449–50
aldonolactone oxidases, 449–50
algae, 446–48
alternative pathways in plants to ascorbic acid, 454–56
ascorbate biosynthetic enzymes, 443–46
ascorbate-deficient *A. thaliana* mutants, 450–51
conclusions, 458–59
control of ascorbate synthesis, 456–58
conversion of GDP-L-Gal to L-Gal, 444
fungi, 446–50
L-galactono-1,4-lactone dehydrogenase, 445–46
L-galactose dehydrogenase, 444–45
GDP-D-mannose-3, 5-epimerase, 444
GDP-D-pyrophosphorylase, 444
genetics, 450–51
historical perspective, 439–40
introduction, 438
mammals, 449–50
D-mannose-1-phosphate guanylyltransferase, 444
phosphomannose isomerase, 443–44
phosphomannose mutase, 444
plants, 449–50
Smirnoff-Wheeler pathway of ascorbate biosynthesis, 440–43
vtc1 gene, 451–54
Aspergillus flavus
ribosome-inactivating proteins and, 791
Aspergillus nidulans
ribosome-inactivating proteins and, 803–4
transporters for nitrogenous solutes and, 663
Aspergillus niger
organic anion exudation from roots and, 546
Astelaria spp.
endosperm development and, 241
Asymmetric cell divisions
cytokinesis and cell plate building, 770–71
Atriplex spp.
molecular engineering of C_4 photosynthesis and, 303
Atropa belladonna
alkaloid biosynthesis and, 33, 46, 52
Aureomycin
history of research, 9
Autoregulation
gibberellin signaling and, 69–70
Auxins
history of research, 12, 14, 21

Avena sativa
alkaloid biosynthesis and, 52
history of research, 15, 21
Azotobacter vinelandii
Mo-based nitrogenase and, 270–71, 273, 286–87

B

B22E gene
endosperm development and, 251
Bacillus subtilis
organic anion exudation from roots and, 546
Bacteria
defensive resin biosynthesis in conifers and, 693
Mo-based nitrogenase and, 270
molecular engineering of C_4 photosynthesis and, 303, 307
organic anion exudation from roots and, 528, 545–46
plant phospholipases and, 213, 217–18
plastid division and, 315–27
seed-storage lipid biosynthesis and, 341, 348
Badger Ordinance Works
history of research, 8–9
Balancing charges
organic anion exudation from roots and, 544–45
Ballooning
cytokinesis and cell plate building, 751–74
Bark beetles
defensive resin biosynthesis in conifers and, 689–718
Barley
gibberellin signaling and, 74–75
macronutrient utilization and, 168
Basal bodies
Chlamydomonas spp. and, 363, 376–79
BBE1 promoter
alkaloid biosynthesis and, 50–51
Benzophenanthridine
alkaloid biosynthesis and, 39
Benzylisoquinolone alkaloids
alkaloid biosynthesis and, 29, 36–41
(R,S)-Berbamunine
alkaloid biosynthesis and, 38
Berberine
alkaloid biosynthesis and, 36–37, 39–40, 44, 47
Berberis stolonifera
alkaloid biosynthesis and, 33, 38, 40
Bet genes
endosperm development and, 250
Biological clocks
circadian rhythms and, 139–54
"Biosynthetic" vesicles
alkaloid biosynthesis and, 29–55
Biotechnology
defensive resin biosynthesis in conifers and, 689–718
Biotic stress
mitochondria and oxidative stress, 561–82
Blue light signal transduction
guard cell signal transduction and, 630
Borago officinalis
seed-storage lipid biosynthesis and, 346
Bradyrhizobium japonicum
Mo-based nitrogenase and, 270
Brassica juncea
macronutrient utilization and, 184
Brassica napus
alkaloid biosynthesis and, 52, 54
cytokinin metabolism and action, 100
endosperm development and, 242
macronutrient utilization and, 173
organic anion exudation from roots and, 531–32, 536
Brassica nigra
macronutrient utilization and, 187–88
Brassica spp.
macronutrient utilization and, 167
molecular engineering of C_4 photosynthesis and, 303
tonoplast transporters and, 478
Bryonia dioica
ribosome-inactivating proteins and, 789, 802
Budding
cytokinesis and cell plate building, 751
Bundle sheath cells
molecular engineering of C_4 photosynthesis and, 306
Butanol 1-guard cell signal transduction and, 636

C

C_4 photosynthesis
molecular engineering of C_4 enzymes in C_3 plants, 303–10

C_4 enzymes in C_4 plants, 300–3
CO_2 pump, 302–3
enzymes located in bundle sheath cells of C_4 plants, 306
enzymes located in mesophyll cells of C_4 plants, 303–6
future research, 310
introduction, 298–99
NADP-ME enzyme, 309
overproduction of C_4 enzymes in leaves of C_3 plants, 303–6
PEPC gene, 307–8
PEP-CK enzyme, 309
physiological impacts of overproduction of C_4 enzymes in C_3 plants, 307–9
PPDK enzyme, 308–9
rate-limiting reactions, 300–2
transgenic C_4 plants, 302–3
Ca^{2+}
alkaloid biosynthesis and, 49
circadian rhythms and, 142–43
cytokinesis and cell plate building, 758, 764–65
guard cell signal transduction and, 627–47
mitochondria and oxidative stress, 561
plant phospholipases and, 213–16, 218–22, 224
plasma membrane H^+-ATPases and, 817–35
Ca^{2+}-ATPase
tonoplast transporters and, 469, 478
Ca^{2+}-binding proteins
tonoplast transporters and, 485–86
Ca^{2+}/H^+ antiporter
tonoplast transporters and, 469, 478–79
Cab gene
molecular engineering of C_4 photosynthesis and, 303–4, 306
Cadaverine
alkaloid biosynthesis and, 52–53
Caffeine
alkaloid biosynthesis and, 43
Calendula officinalis
seed-storage lipid biosynthesis and, 348
California Institute of Technology (CalTech)
history of research, 11–16
Callose synthase
cytokinesis and cell plate building, 751–74
Camellia sinensis
alkaloid biosynthesis and, 33
Camptotheca acuminata
alkaloid biosynthesis and, 31–32
Camptothecin
alkaloid biosynthesis and, 31
Candida albicans
ascorbic acid biosynthesis and, 443, 447–49
Carbon
guard cell signal transduction and, 627–47
isoprene emission and, 407, 420
metabolic NMR and, 499, 508–11
Carbon dioxide (CO_2)
circadian rhythms and, 142
guard cell signal transduction and, 627–47
history of research, 6
isoprene emission and, 415–16
Carbon dioxide (CO_2) pump
molecular engineering of C_4 photosynthesis and, 302–3
Carotenoids
fruit maturation and ripening, 739
Carpel development
fruit maturation and ripening, 725
Carpophilus spp.
ribosome-inactivating proteins and, 791
Casava
history of research, 22
Casparian bands
cohesion-tension and water uptake, 863–65
macronutrient utilization and, 171
Cassia tora
organic anion exudation from roots and, 532–33
Catalase
mitochondria and oxidative stress, 578–79
Catalysis
Mo-based nitrogenase and, 272–73
plant phospholipases and, 213, 217–19, 221–22
plasma membrane H^+-ATPases and, 833
Catharanthine
alkaloid biosynthesis and, 34
Catharanthus roseus
alkaloid biosynthesis and, 31–32, 34–35, 45–48, 50–52
plant phospholipases and, 213
Cavitation
cohesion-tension and water uptake, 847–68

Cedrus spp.
defensive resin biosynthesis in conifers and, 698
Cell-cell recognition
Chlamydomonas spp. and, 363
Cell cycle
Chlamydomonas spp. and, 363, 380–84
cytokinesis and cell plate building, 754–55, 770–71
endosperm development and, 233–58
macronutrient utilization and, 190
plastid division and, 315–27
Cell entry
ribosome-inactivating proteins and, 797–801
Cell plate building
cytokinesis and, 751–74
Cell wall
alkaloid biosynthesis and, 29
Chlamydomonas spp. and, 368
cytokinesis and cell plate building, 751–74
endosperm development and, 233
fruit maturation and ripening, 725, 738–39
Central circadian oscillator
circadian rhythms and, 139, 148–51
Centrioles
Chlamydomonas spp. and, 363–92
Centripetal growth
endosperm development and, 233
Ceratocystis spp.
defensive resin biosynthesis in conifers and, 693
Ceratodon purpureus
seed-storage lipid biosynthesis and, 346
Cereals
endosperm development and, 233–58
gibberellin signaling and, 79–81
Channeling
seed-storage lipid biosynthesis and, 351–54
Chara corallina
tonoplast transporters and, 476–77, 484
"Chatt" cycle
Mo-based nitrogenase and, 281
Chemical ecology
defensive resin biosynthesis in conifers and, 689–718
Chenopodium spp.
circadian rhythms and, 152
ribosome-inactivating proteins and, 796–97
chi33 mutant
endosperm development and, 251
Chl8 gene
macronutrient utilization and, 173
Chlamydomonas reinhardtii
macronutrient utilization and, 163, 165, 168–71, 174–75, 177–78, 180–81, 184–86, 190–91
as model organism, 366–68, 370–75, 380–85, 387, 389–91
photosystem I and, 595–97, 603, 606, 609, 612–14, 616
transporters for nitrogenous solutes and, 663–64
Chlamydomonas spp.
cell architecture and functional systems
basal bodies, 376–79
cell wall, 368
chloroplasts, 369–75
contractile vacuoles, 368–69
eyespot, 379–80
flagella, 375–76
mitochondria, 369
nuclear genome, 368
nucleus, 368
osmotic regulation, 368–69
phototaxis, 379–80
circadian rhythms, 154, 387
cytokinesis and cell plate building, 754, 757
genus
C. reinhardtii laboratory strains, 366–68
taxonomy, 364–66
introduction, 364
light-mediated responses, 386–87
meiotic life cycle, 380–84
mitotic life cycle, 380–84
molecular tool kit, 387–91
nutrient uptake, 385–86
physiological processes, 385–87
plant phospholipases and, 218
sexual cycle, 382–84
sources of strains and information, 391–92
tetrad analysis, 384
vegetative cell growth, 380–81
Chlorella fusca
metabolic NMR and, 511
Chlorella pyrenoidosa
ascorbic acid biosynthesis and, 444, 446
Chloroplasts
alkaloid biosynthesis and, 29–55

Chlamydomonas spp. and, 363, 369–75
one-carbon metabolism and, 126
photosystem I and, 593–616
plastid division and, 315–27
Cinchona officinalis
alkaloid biosynthesis and, 52
Cinnamomum camphora
ribosome-inactivating proteins and, 791
Circadian rhythms
adaptive significance, 153–54
basic model of plant circadian system, 141
beginning of timing, 151–52
calcium, 142–43
central circadian oscillator, 148–51
Chlamydomonas spp., 387
CO_2 assimilation, 142
conclusions, 154
dedication, 140
entrainment, 145–47
gas exchange, 142
gene expression, 143–45
growth rhythms, 141–42
hormones, 142
imbibition, 148
input, 145–47
introduction, 140–41
light, 145–47
movement rhythms, 141–42
multiple circadian clocks, 152–53
negative feedback loop, 148
rhythmic outputs, 141–45
single Myb domain-binding proteins, 148–49
stomatal aperture, 142
temperature, 147–48
TOC genes, 149–51
Clarkia concinna
defensive resin biosynthesis in conifers and, 711
Climacteric ripening
fruit maturation and ripening, 727
Cloned guard cell K^+_{in} channel genes
guard cell signal transduction and, 632
Cloning
cytokinin metabolism and action, 89
Clostridium pasteurianum
Mo-based nitrogenase and, 270–71
Cluster root development
organic anion exudation from roots and, 536
cob gene
Chlamydomonas spp. and, 369
Codeine
alkaloid biosynthesis and, 37, 40
Coenocyte
endosperm development and, 233, 236–41
Cofactors
photosystem I and, 593, 598–99
Cohesion-tension mechanism
acquisition of water by roots and
cavitation avoidance, 849–50
composite transport model of root, 863–65
conclusions, 867–68
essential features, 848–49
gases dissolved in xylem sap, 853–54
gas-seeding theory, 849–50
heterogenous nucleation, 853–54
homogeneous nucleation, 852–53
introduction, 848
older evidence in favor of the cohesion-tension theory, 854–55
pathways for water and solutes, 863
physiological consequences of composite transport and role of cohesion tension, 865–67
recent evidence against the cohesion-tension theory, 857–58
recent evidence from pressure probe experiments in favor of the cohesion-tension theory, 858–60
refilling mechanisms, 860–61
role of cohesion-tension during water acquisition and transport by roots, 86–62
Scholander-Hammel pressure bomb, 855–57
tensile strength of water, 849–52
theoretical approaches, 850–51
vapor-seeding mechanisms, 852–53
variable root hydraulic resistance, 862–63
Colchicine
alkaloid biosynthesis and, 36
Coleoptiles
history of research, 15, 21

Columbamine
alkaloid biosynthesis and, 40
Commelina spp.
guard cell signal transduction and, 636, 640–41
Compartmentation
alkaloid biosynthesis and, 29, 43–45
metabolic NMR and, 499, 505–7
ribosome-inactivating proteins and, 798
Complexes I-IV
mitochondria and oxidative stress, 561–82
Composite transport model of root
cohesion-tension and water uptake, 863–65
Conifers
defensive resin biosynthesis and, 689–718
Conocephalum conicum
tonoplast transporters and, 484
Conserved fatty acids
seed-storage lipid biosynthesis and, 335–54
Contractile vacuoles
Chlamydomonas spp. and, 368–69
Conversions
cytokinin metabolism and action, 96
Coptis japonica
alkaloid biosynthesis and, 32–33, 38, 40, 47
Corydalis vaginans
alkaloid biosynthesis and, 39
Corynebacterium glutamicum
molecular engineering of C_4 photosynthesis and, 303, 307
p-Coumaric acid
history of research, 21
Coupling
cytokinin metabolism and action, 103
cp2 mutant
endosperm development and, 254
CPR gene
alkaloid biosynthesis and, 35, 49–50
Crambe abysinnica
seed-storage lipid biosynthesis and, 353
Craterostiga plantagineum
plant phospholipases and, 213, 215–16
Crepis spp.
seed-storage lipid biosynthesis and, 348
Crinkly4 gene
endosperm development and, 233, 253–54, 258
Cromakalin
guard cell signal transduction and, 640
Crown gall
history of research, 1, 12, 14, 16
Cryphonectria parasitica
fungal disease and, 2
Cryptochrome
circadian rhythms and, 139–54
Cucurbita pepo
ascorbic acid biosynthesis and, 458
Culex pipines pallens
ribosome-inactivating proteins and, 791
Cuphea spp.
seed-storage lipid biosynthesis and, 340–44, 352
CUT1 gene
seed-storage lipid biosynthesis and, 349
Cyanobacteria
Mo-based nitrogenase and, 270
photosystem I and, 593–616
Cyclic ADP-ribose
guard cell signal transduction and, 635–36
Cyclic electron transfer
photosystem I and, 611–12
Cycloheximide
alkaloid biosynthesis and, 48
cytokinin metabolism and action, 103
Cyclotella cryptica
ascorbic acid biosynthesis and, 447
Cylindrocapsa spp.
cytokinesis and cell plate building, 754
Cylindrotheca fusiformis
cytokinesis and cell plate building, 757
Cysteine
macronutrient utilization and, 182–83
Cytokinesis
cell plate building and asymmetric cell divisions, 770–71
building cell plate, 759–63
Ca^{2+} in cell plate formation, 764–65
cytokinesis, 753–59
cytoskeletal elements and phragmoplast formation, 755–56, 758
delivery of cell plate vesicles, 760–61
introduction, 752–53
kinases in cytokinesis, 758–59
KNOLLE, 762–63
maturation of cell plate, 768–69

meiotic division, 772
mutations, 772–74
orientation of cell division, 754–55
origin of vesicles of building cell plate, 759–60
perspectives, 773–74
phragmoplastin, 757–58
polysaccharides, 765–68
preprophase band, 754–55
uncoupling of cell plate formation from nuclear division, 769–70
Cytokinins
metabolism and action
action, 101–3
adenine-type cytokinins, 91–94, 96
aromatic cytokinins, 93, 95
biosynthesis, 106
conversions between cytokinin bases, nucleosides, and nucleotides, 96
cytokinin oxidases, 97–98
discovery and quantitation of metabolites, 95–96
enzymes, 96–101
future research, 108–9
β-glucosidases, 100–1
G-protein coupled receptor, 103
genes, 96–101
hydroxylase, 101
implications, 103–8
introduction, 90–91
metabolites, 91–96
miscellaneous modifications of adenine moiety, 97
modifications of adenine ring, 91–92
N^6-isoprenoid side chain, 93–94, 97–101
perception, 107–8
phenylurea-type cytokinins, 92, 95
phosphorelay signal transduction, 102–3
zeatin *O*-glycosyltransferases, 99–100
zeatin isomerase, 101
zeatin reductase, 101
Cytoskeleton
cytokinesis and cell plate building, 751–74
endosperm development and, 233–58
plastid division and, 315, 317–27
Cytosol
alkaloid biosynthesis and, 29–55
defensive resin biosynthesis in conifers and, 700
guard cell signal transduction and, 627–47
mitochondria and oxidative stress, 566–67
ribosome-inactivating proteins and, 799
Cytotoxicity
ribosome-inactivating proteins and, 785–804

D

2,4-D
history of research, 16, 25
D4H gene
alkaloid biosynthesis and, 45–46, 48
D8 mutant
gibberellin signaling and:, 71–72
dap mutant
endosperm development and, 254
Databases
Chlamydomonas spp. and, 363, 391–92
Datura stramonium
alkaloid biosynthesis and, 33, 42
metabolic NMR and, 512
Deacetylvindoline
alkaloid biosynthesis and, 34–35
Defensive resin biosynthesis in conifers
bark beetle life cycle, 692
chemical ecology, 693–96
conifer-bark beetle interactions, 692–96
conifer resin production, 696–16
future prospects, 716–18
genomic intron/exon organization, 712–15
introduction, 690–91
microbial symbiosis, 693
molecular genetics, 707–8
protein-based phylogenetics, 708–12
Degradation
isoprene emission and, 414
organic anion exudation from roots and, 535
Dehydrogenases
mitochondria and oxidative stress, 561–82
dek1 mutant
endosperm development and, 253–54, 256
Dendroctonus spp.
defensive resin biosynthesis in conifers and, 692–96
Deoxyxylulose 5-phosphate/methyl erythritol 4-phosphate

(DMAPP)
isoprene emission and, 407, 412–13
Depurination
ribosome-inactivating proteins and, 784–804
Derepression
gibberellin signaling and, 67–83
Desatoxyvindoline
alkaloid biosynthesis and, 34
Desaturation
seed-storage lipid biosynthesis and, 335, 338
Detoxification
reactive oxygen species
mitochondria and oxidative stress, 578–81
Developmental regulation
alkaloid biosynthesis and, 45–47
endosperm, 233–58
fruit maturation and ripening, 725, 735–37
gibberellin signaling and, 69
organic anion exudation from roots and, 536
seed-storage lipid biosynthesis and, 337–39
transporters for nitrogenous solutes and, 659–80
Diabrotica undecimpunctata howardii
ribosome-inactivating proteins and, 791
Diazotrophs
Mo-based nitrogenase and, 270
Dihydrosanguarinine
alkaloid biosynthesis and, 44
Dinitrogen reduction
Mo-based nitrogenase and, 269–88
Diploidy
endosperm development and, 233, 238
Diterpenes
defensive resin biosynthesis in conifers and, 689–718
Doxantha spp.
seed-storage lipid biosynthesis and, 345
Drosophila spp.
cytokinesis and cell plate building, 762, 773
endosperm development and, 239–40, 243, 250
Dry weight
seed-storage lipid biosynthesis and, 335–54
Drycoetes spp.
defensive resin biosynthesis in conifers and, 692
dsc mutants
endosperm development and, 256
Dunaliella tertiolectra
macronutrient utilization and, 191
dwarf-1 mutant
gibberellin signaling and:, 77–78
Dynamin
cytokinesis and cell plate building, 751, 757–58

E

Early acceptors
photosystem I and, 607–8
Efflux systems
nitrate
transporters for nitrogenous solutes and, 665
organic anion exudation from roots and, 540–45
8th International Congress of Botany and Congress at Briançon
history of research, 18–20
Electron transfer
Mo-based nitrogenase and, 269, 275–80
photosystem I and, 593, 605–12
Electron transport
mitochondria and oxidative stress, 561–82
Elongation
macronutrient utilization and, 190
seed-storage lipid biosynthesis and, 335, 337–38, 350
Embryo surrounding region
endosperm development and, 233, 249–50
emp mutants
endosperm development and, 257
Endomembrane nitrate transport
transporters for nitrogenous solutes and, 665–66
Endoplasmic reticulum
alkaloid biosynthesis and, 29–55
Endosperm development
aleurone cells, 251–55
alveolus formation, 241–46
cell cycle arrest at end of coenocytic stage, 240–41
cell fate specification, 249–57
cell file development, 246–49
cellularization, 235–36, 241–49
coenocyte, 236–41
differentiation, 249
embryo surrounding region, 249–50

future research, 257–58
introduction, 234–35
mitotic block release, 246–49
mitotic division, 236–37, 239
nuclear migration, 239
phragmoplast, 236–37, 239
radial microtubular systems, 241–46
starchy endosperm cells, 255–57
summary, 257–58
transfer cells, 250
Endosymbionts
plastid division and, 315, 317–27
ENHANCES program
history of research, 1, 26–27
Entrainment
circadian rhythms and, 145–47
Environmental cues
isoprene emission and, 417
macronutrient utilization and, 163, 165, 180, 185, 192
metabolic NMR and, 499, 504–7
organic anion exudation from roots and, 527, 536
Eranthis hyemalis
ribosome-inactivating proteins and, 791
Erysiphe graminis
ribosome-inactivating proteins and, 792
Erythroascorbic acid
ascorbic acid biosynthesis and, 437–59
"Escape from light" hypothesis
circadian rhythms and, 154
Escherichia coli
alkaloid biosynthesis and, 35, 42–43
ascorbic acid biosynthesis and, 444–45
cytokinesis and cell plate building, 758
mitochondria and oxidative stress, 566
molecular engineering of C_4 photosynthesis and, 303
plant phospholipases and, 218
ribosome-inactivating proteins and, 795
seed-storage lipid biosynthesis and, 341, 348
transporters for nitrogenous solutes and, 663
Eschscholzia californica
alkaloid biosynthesis and, 33, 38–39, 44, 49, 51, 54
Esr gene
endosperm development and, 249–50
etched mutant
endosperm development and, 254
Ethylene signal transduction
fruit maturation and ripening, 725, 733–35
Euglena gracilis
ascorbic acid biosynthesis and, 447
Eukaryotes
photosynthetic macronutrient utilization and, 163–92
Euphorbia lagascae
seed-storage lipid biosynthesis and, 353
Evolution
defensive resin biosynthesis in conifers and, 689–718
isoprene emission and, 407, 423–27
molecular engineering of C_4 photosynthesis and, 297–310
plasma membrane H^+-ATPases and, 818–19
plastid division and, 315, 317
seed-storage lipid biosynthesis and, 346
Excitation energy transfer
photosystem I and, 604–5
Exons
defensive resin biosynthesis in conifers and, 712–15
Expressed sequence tag data
Chlamydomonas spp. and, 363, 388–90
Exudation
organic anion
roots and, 527–50
Eyespot
Chlamydomonas spp. and, 379–80

F

FAD genes
seed-storage lipid biosynthesis and, 346–48
FAE1 gene
seed-storage lipid biosynthesis and, 349, 353
Far gene
macronutrient utilization and, 175
fass mutant
endosperm development and, 256
FATA genes
seed-storage lipid biosynthesis and, 340–41
FATB genes
seed-storage lipid biosynthesis and, 340–42, 353
Fatty acids

seed-storage lipid
biosynthesis and, 335–54
FeMo-cofactor
Mo-based nitrogenase and, 280–82
Fermentation
metabolic NMR and, 510
Ferredoxin reduction
photosystem I and, 593, 610–11
Fertilizers
transporters for nitrogenous solutes and, 659–80
Fe-S clusters
photosystem I and, 608
fie mutant
endosperm development and, 239
fis mutant
endosperm development and, 239
Flagella
Chlamydomonas spp. and, 363, 375–76
Flaveria bidentis
molecular engineering of C_4 photosynthesis and, 300–3, 306, 309–10
Fleshy fruits
fruit maturation and ripening, 733
Floral initiation
gibberellin signaling and, 81–82
Flowering time
circadian rhythms and, 139–54
Flux analysis
hydrocarbon
isoprene emission and, 407
metabolic
one-carbon metabolism and, 119, 130
metabolic NMR and, 499, 513–16
Folate
one-carbon metabolism and, 121, 123–27
Forests
defensive resin
biosynthesis in conifers and, 689–718
Formaldehyde
one-carbon metabolism and, 125–26
Formate
one-carbon metabolism and, 124, 126–27
14-3-3 proteins
plasma membrane H^+-ATPases and, 817–35
Fruits
maturation and ripening
Arabidopsis MADS-box genes, 731–32
carotenoid
accumulation, 739
cell wall metabolism and softening, 738–39
climacteric ripening, 727
developmental
regulation, 735–37
ethylene signal
transduction, 733–35
genetic regulatory
mechanisms, 727
introduction, 726–27
light signal transduction, 739
model systems, 728–31
molecular analysis of
fruit development, 731–33
non-climacteric
ripening, 727
practical importance, 728
regulation of gene
expression, 739–40
research opportunities, 740–41
ripening of fleshy fruits, 733
scientific importance, 728
tomato fruit mass
quantitative trait loci, 732–33
FstZ genes
plastid division and, 315, 317–27
Fucus spp.
cytokinesis and cell plate building, 754–56
Fungi
ascorbic acid biosynthesis and, 437, 446–50
defensive resin
biosynthesis in conifers and, 689–718
plant phospholipases and, 220
ribosome-inactivating proteins and, 784–804
Fusarium spp.
ribosome-inactivating proteins and, 791
Fusion
vesicle
cytokinesis and cell plate building, 751–74

G

GA-derepressible repressor model
gibberellin signaling and, 73–74
GAI/RGA family
gibberellin signaling and, 67–83
L-Galactono-1,4-lactone
dehydrogenase
ascorbic acid biosynthesis and, 445-46
L-Galactose
ascorbic acid biosynthesis and, 437–59
L-Galactose dehydrogenase
ascorbic acid biosynthesis and, 444–45

gar2-1 mutant
gibberellin signaling and, 78
Garcinia mangostana
seed-storage lipid biosynthesis and, 340
Gas exchange
circadian rhythms and, 142
guard cell signal transduction and, 627–47
Gas-seeding theory
cohesion-tension and water uptake, 849–50
GDP-D-mannose-3,5-epimerase
ascorbic acid biosynthesis and, 444
GDP-D-pyrophosphorylase
ascorbic acid biosynthesis and, 444
Gelonium multiflorum
ribosome-inactivating proteins and, 789, 797
Genetic engineering
defensive resin biosynthesis in conifers and, 689–718
Genetic screens
guard cell signal transduction and, 645–46
Genomic intron/exon organization
defensive resin biosynthesis in conifers and, 712–15
Genomics
Chlamydomonas spp. and, 363, 368
plasma membrane H^+-ATPases and, 817–35
ribosome-inactivating proteins and, 784–804
George Washington Carver Research Foundation
history of research, 1
Gibberellins
α-amylase, 79–81
altered function mutant, 70–71
Arabidopsis gai mutant, 70–71
autoregulation, 69–70
barley, 74–75
biochemistry, 75–76
biosynthesis mutants, 69
cereal aleurone, 79–81
conclusions, 82–83
development, 69
floral initiation, 81–82
GA-derepressible repressor model, 73–74
GAI/RGA family of GA signal-transduction components, 70–77
gibberellin deficiency, 70–71
O-GlcNAc transferase, 76
GTP-binding protein β subunit, 77–78
history of research, 16
identification of GA-signaling mutants, 70
introduction, 68–69
light, 69–70
loss-of-function mutations, 72–75
maize *d8*, 71–72
miscellaneous *Arabidopsis* genes in GA signaling, 78–79
N-terminal amino acid sequence, 71
orthologs, 71–75
pea, 74–75
positive regulator, 77
rice, 74–75
rice *dwarf-1* mutant, 77–78
SLY1 gene, 77
SPY protein, 76
wheat *Rht* locus, 71–72
Glibenclamide
guard cell signal transduction and, 640
Global nitrogen cycle
Mo-based nitrogenase and, 269–88
Gluconobacter oxydans
ascorbic acid biosynthesis and, 450
β-Glucosidases
cytokinin metabolism and action, 100–1
Glu genes
macronutrient utilization and, 178–79
Glutamine:2-oxoglutarate aminotransferase
macronutrient utilization and, 178–79
Glutamine synthetase
macronutrient utilization and, 177–78
Glutathione
macronutrient utilization and, 184
mitochondria and oxidative stress, 561, 579–81
Glutathione peroxidases
mitochondria and oxidative stress, 580–81
Glycine
one-carbon metabolism and, 121, 123–24
Glycine max
cytokinin metabolism and action, 99
Glyoxylate
one-carbon metabolism and, 127
Golgi-derived vesicles
cytokinesis and cell plate building, 751–74
Gossypium hirsutum
tonoplast transporters and, 475
G proteins
aikaloid biosynthesis and, 49
cytokinin metabolism and action, 103

plastid division and, 315, 317–27
Gracilariopsis lemaneiformis
metabolic NMR and, 502
Graphium spp.
defensive resin biosynthesis in conifers and, 693
Green algae
Chlamydomonas spp. and, 363–92
Growth regulators
history of research, 1, 12, 14–16, 21
GS genes
macronutrient utilization and, 177–78
GTPases
plastid division and, 315, 317–27
GTP-binding proteins
gibberellin signaling and, 77–78
Guard cell signal transduction
ABC proteins, 640
abscisic acid signaling, 641–42
abscisic acid-insensitive PP2C mutants, 639–40
actin filaments, 631–32
amplifying calcium signals by calcium-induced calcium release, 637
anion channel regulation, 640–42
anion channels and abscisic acid-induced stomatal closure, 640–42
$[Ca^{2+}]_{cyt}$ in stomatal closing, 634–35
$[Ca^{2+}]_{cyt}$ in stomatal opening, 635
cloned guard cell K^+_{in} channel genes, 632
CO_2-induced stomatal closing, 634
cyclic ADP-ribose, 635–36
cytosolic $[Ca^{2+}]$ oscillations and stomatal closing, 638–39
cytosolic calcium in guard cells, 634–35
cytosolic factors that regulate inward-rectifying K^+_{in} channels, 630–31
early events in blue light signal transduction, 630
future research, 646–47
inositol 1,4,5-triphosphate, 636
introduction, 628–29
light signal transduction and stomatal opening, 629–32
models for in channel roles in abscisic acid-induced stomatal closing, 633
multiple physiological and abiotic stimuli induce stomatal closing, 633–34
new genetic screens, 645–46
new guard cell signaling mutants and genetic approaches, 644–46
okadaic acid-sensitive phosphatases, 641
osmolarity, 643–44
phosphatidic acid, 636–37
phospholipase C, 636
phospholipase D, 636–37
phosphorylation, 642–43
plasma membrane calcium channels and calcium influx, 637–38
plasma membrane K^+_{out} channels, 642–44
protein kinases, 640–41
reverse genetics, 645–46
second messenger systems regulating $[Ca^{2+}]_{cyt}$, 635–39
syntaxins and abscisic acid signaling, 643
temperature sensitivity, 643–44
transient K^+ efflux currents, 644
vacuolar Ca^{2+} release, 635–36
(R,R)-Guattegaumerine
alkaloid biosynthesis and, 38
Guenther model
isoprene emission and, 421–22
Gulliver transposon
macronutrient utilization and, 175
GUS reporter gene
alkaloid biosynthesis and, 49–50
Gypsophilia elegans
ribosome-inactivating proteins and, 795

H

H^+-ATPases
plasma membrane
ATP binding site, 832
catalytic mechanism, 833
conclusions, 835
enzymology, 828
evolution, 818–19
gene family, 820–21
H^+-binding site(s), 830–32
introduction, 818
Mg^{2+} binding site, 832–33
phloem loading, 823–24
physiological roles, 821–26
quaternary structure, 829
R-domain and intramolecular receptor, 833–34
regulation, 826–28
solute uptake in roots, 825

structure-function relationships, 829–35
tertiary structure, 829–30
tip growing systems, 825–26
tonoplast transporters and, 469–88
H^+-pyrophosphatase
tonoplast transporters and, 469–88
H6H gene
alkaloid biosynthesis and, 53
Haemanthus spp.
endosperm development and, 242–43
Hafnia alvei
alkaloid biosynthesis and, 52
Hansenula polymorpha
transporters for nitrogenous solutes and, 661
Heavy metals
organic anion exudation from roots and, 531–33
HeLa (Henrietta Lacks) Project
history of research, 23–24
Helianthus annuus
endosperm development and, 241
history of research, 12, 14, 16, 18
Helicoverpa armigra
ribosome-inactivating proteins and, 791–92
Henderson JHM, 1–27
Heterogeneous nucleation
cohesion-tension and water uptake, 853–54
Higher plants
one-carbon metabolism and, 119–29
HMGR genes
alkaloid biosynthesis and, 31
Homogeneous nucleation
cohesion-tension and water uptake, 852–53
Honeycomb-like structure
tubulovesicular
cytokinesis and cell plate building, 751, 761–62
Hor-2 gene
endosperm development and, 255
Hormones
circadian rhythms and, 142
cytokinin metabolism and action, 89–109
gibberellin signaling and, 67–83
guard cell signal transduction and, 627–47
Host selection
defensive resin biosynthesis in conifers and, 689–718
Hura crepitans
ribosome-inactivating proteins and, 793–94
Hydraulics
cohesion-tension and water uptake, 847–68
Hydrilla verticillata
molecular engineering of C_4 photosynthesis and, 310
Hydrocarbon flux
isoprene emission and, 407
Hydrogen peroxide (H_2O_2)
mitochondria and oxidative stress, 561–82
Hydroxylase
cytokinin metabolism and action, 101
Hydroxyl groups
seed-storage lipid biosynthesis and, 335–54
16-Hydroxytabernosine
alkaloid biosynthesis and, 34–35
Hygrine
alkaloid biosynthesis and, 42
Hyoscyamine
alkaloid biosynthesis and, 42–43
Hyoscyamus muticus
alkaloid biosynthesis and, 52–53
defensive resin biosynthesis in conifers and, 711
Hyoscyamus niger
alkaloid biosynthesis and, 33, 43, 46, 52

I

Impatiens balsamica
seed-storage lipid biosynthesis and, 348
indeterminate1 mutant
endosperm development and, 240
Indole-3-acetic acid
history of research, 12, 14–16, 21
Indole glucosinolate
alkaloid biosynthesis and, 29
Inducible expression
alkaloid biosynthesis and, 47–49
Inositol 1,4,5-triphosphate
guard cell signal transduction and, 636
Insecticides
ribosome-inactivating proteins and, 784–804
Interconversion
serine-glycine one-carbon metabolism and, 121, 123–24
Internal antenna
photosystem I and, 593, 604–5

International Institute of Tropical Agriculture (Ibadan, Nigeria)
history of research, 22
Interzones
endosperm development and, 233–58
Introns
defensive resin biosynthesis in conifers and, 712–15
Inward-rectifying K^+_{in} channels
guard cell signal transduction and, 630–31
Ion channels
guard cell signal transduction and, 627–47
tonoplast transporters and, 469–68, 479–80
Ips spp.
defensive resin biosynthesis in conifers and, 692–94
Isoprene emission
antioxidant, 419–20
atmospheric chemistry, 409–10
benefits, 417–20
biochemistry, 410–14
carbon dioxide, 415–16
costs vs benefits, 423–25
degradation, 414
de novo synthesis, 410–11
DMAPP, 412–13
environmental effects, 417
evolution, 423–27
excess energy and carbon, 420
future research, 427
Guenther model, 421–22
inhibitors, 416–17
introduction, 408–10
isoprene synthase, 411–12
isotopic fractionation, 413
light, 415
paleoclimate, 425–27
photosynthesis, 415–17
phylogenetics, 423
physiology, 414–17, 422–23
regulation, 420–23
relative rate of metabolism, 414–15
stomatal closure, 420
temperature, 415
thermotolerance hypothesis, 418–19
wound signals, 417
N^6-Isoprenoid side chain
cytokinin metabolism and action, 93–94, 97–101

J

Jasmonic acid
alkaloid biosynthesis and, 47–48
plant phospholipases and, 216, 222, 224

K

K^+
plant phospholipases and, 219
K^+_{in} channels
guard cell signal transduction and, 630–32
K^+_{out} channels
guard cell signal transduction and, 642–44
Kalanchoë blossfeldiana
tonoplast transporters and, 484
Kalanchoë daigremontiana
organic anion exudation from roots and, 549
KAS genes
seed-storage lipid biosynthesis and, 341–42, 345, 349
KCS1 gene
seed-storage lipid biosynthesis and, 349
β-Ketoacyl synthases
seed-storage lipid biosynthesis and, 341–42
Kinases
cytokinesis and cell plate building, 758–59
Klebsiella pneumoniae
Mo-based nitrogenase and, 270–71, 278
Kluyveromyces lactis
organic anion exudation from roots and, 546
KNOLLE syntaxin
cytokinesis and cell plate building, 759, 762–63, 765, 772

L

LeAmt1;1 gene
macronutrient utilization and, 170
Leaves
guard cell signal transduction and, 627–47
Lemna sp.,
one-carbon metabolism and, 127
LeNrt1 gene
macronutrient utilization and, 173
Lepidum sativum
ascorbic acid biosynthesis and, 455
Leptographium spp.
defensive resin biosynthesis in conifers and, 693
Lesquerella fendleri
seed-storage lipid biosynthesis and, 347
Lhc gene
macronutrient utilization and, 177
Life cycle
bark beetle
defensive resin biosynthesis in conifers and, 692

Chlamydomonas spp. and, 380–84
Light
Chlamydomonas spp. and, 363, 386–87
circadian rhythms and, 145–47
gibberellin signaling and, 69–70
guard cell signal transduction and, 627–47
isoprene emission and, 415
macronutrient utilization and, 163–92
photosystem I and, 593–616
Light-harvesting complexes
photosystem I and, 593, 604
Light signal transduction
fruit maturation and ripening, 725, 739
Lilium testaceum
ascorbic acid biosynthesis and, 443
Limnanthes spp.
seed-storage lipid biosynthesis and, 344–45, 348–49
Lipid bodies
seed-storage lipid biosynthesis and, 339
Lipid messengers
plant phospholipases and, 211–25
Lipids
seed-storage
biosynthesis of, 335–54
tonoplast transporters and, 487
Liquid waxes
seed-storage lipid biosynthesis and, 350–51
Localization
alkaloid biosynthesis and, 45–47
Loganin
alkaloid biosynthesis and, 31, 51
Loss-of-function mutations
gibberellin signaling and, 72–75
Lotus spp.
transporters for nitrogenous solutes and, 664
Ltp1 gene
endosperm development and, 251
Lupinus albus
alkaloid biosynthesis and, 45
organic anion exudation from roots and, 531–32, 536–38, 544
Lycopersicon spp.
fruit maturation and ripening, 729–30, 732–40
Lysophospholipases
plant phospholipases and, 222–23

M

Macarpine
alkaloid biosynthesis and, 39, 48
Macronutrient utilization
photosynthetic eukaryotes and
ammonium transport, 165–69, 171–74
arylsulfatase, 180
cell cycle, 190
cell division, 190
Chlamydomonas reinhardtii, 175, 180–81, 185–86
conclusions, 191–92
cysteines, 182–83
elongation, 190
environmental cues, 165, 180, 185
glutamine:2-oxoglutarate aminotransferase, 178–79
glutamine synthetase, 177–78
glutathione, 184
introduction, 164–65
methionines, 183–84
nitrate, 174–77
nitrate reductase, 175–77
nitrite, 174–77
nitrite reductase, 175–77
nitrogen, 165–80
nutrient limitation, 188–91
phosphatases, 185–87
phosphate, 185–90
phosphorus, 188–89
photosynthesis, 190–91
regulation, 179–80, 184–85, 189–90
RNases, 186–87
sulfate, 180–82
sulfur, 180–85
MADS-box genes
fruit maturation and ripening, 731–32
Maize
macronutrient utilization and, 168
molecular engineering of C_4 photosynthesis and, 297–310
organic anion exudation from roots and, 542–43
plant phospholipases and, 220
Maize *d8* locus
gibberellin signaling and, 71–72
Mannose
ascorbic acid biosynthesis and, 437–59
D-Mannose-1-phosphate guanylyltransferase
ascorbic acid biosynthesis and, 444

"Maternal-effect" mutants
endosperm development and, 239
Maturation
cytokinesis and cell plate building, 768–69
endosperm development and, 233
fruit
ripening and, 725–41
Medea mutant
endosperm development and, 239
Megagametophyte
endosperm development and, 233, 239
Me gene
molecular engineering of C4 photosynthesis and, 306
Meiosis
Chlamydomonas spp. and, 380–84
cytokinesis and cell plate building, 772
Membrane lipids
seed-storage lipid biosynthesis and, 351–54
Membrane remodeling
plant phospholipases and, 211–25
men genes
photosystem I and, 599
Mentha spicata
defensive resin biosynthesis in conifers and, 711
Mercurialis spp.
cytokinin metabolism and action, 105
Mesembryanthemum crystallinum
molecular engineering of C_4 photosynthesis and, 304, 308
ribosome-inactivating proteins and, 794
tonoplast transporters and, 475, 484
Mesophyll cells
molecular engineering of C_4 photosynthesis and, 303–6
Metabolic engineering
alkaloid biosynthesis and, 29, 51–55
Metabolic NMR
compartmentation, 505–7
conclusions, 517
exploring pathways and their operation, 507–13
fermentation pathways, 510
intracellular environment, 504–7
introduction, 500–1
metabolic flux, 513–16
metabolic phenotypes, 499–517
metabolic profiling, 503–4
metabolite detection strategies, 501–3
metabolite imaging, 516–17
mycorrhizal metabolism, 513
nitrogen metabolism, 511–12
nonphotosynthetic carbon metabolism, 509–10
one-carbon metabolism, 511
phosphorylation, 512–13
photosynthetic carbon metabolism, 508–9
stable isotype labeling, 502–3
Metal-ion stress
organic anion exudation from roots and, 538
Metalloenzymes
Mo-based nitrogenase and, 269–88
Methanol
one-carbon metabolism and, 125
Methionine
macronutrient utilization and, 183–84
one-carbon metabolism and, 127–28
Methylene-interrupted double bond
seed-storage lipid biosynthesis and, 335, 346–48
Methyl jasmonate
alkaloid biosynthesis and, 31, 38, 48–49
S-Methylmethionine cycle
one-carbon metabolism and, 128–29
Methyl transfer
one-carbon metabolism and, 119, 127–29
7-Methylxanthine
alkaloid biosynthesis and, 43
7-Methylxanthosine
alkaloid biosynthesis and, 43
Mg^{2+}
isoprene emission and, 407
Mo-based nitrogenase and, 275
plasma membrane H^+-ATPases and, 832–33
Microbial symbiosis
defensive resin biosynthesis in conifers and, 693
Microsomes
seed-storage lipid biosynthesis and, 353
Microtubular cytoskeleton
endosperm development and, 233–58
Microtubules
cytokinesis and cell plate building, 751–54

Migration
endosperm development and, 233, 239
Mimosa pudica
tonoplast transporters and, 484–85
Minority Biomedical Research Support program (MBRS)
history of, 26
Mirabilis expansa
ribosome-inactivating proteins and, 791, 793, 803
Mitochondria
Chlamydomonas spp. and, 369
one-carbon metabolism and, 121, 126, 130
oxidative stress and
alternative oxidase, 577–78
ascorbate, 579–81
bound NAD(P), 570–71
catalase, 578–79
complex I, 567–70
cytosolic factors, 566–67
electron transport chain, 563–70
external NAD(P)H dehydrogenases, 564–67
free NAD(P), 570–71
glutathione, 579–81
glutathione peroxidases, 580–81
internal rotenone-insensitive NAD(P)H dehydrogenases, 568–69
introduction, 562–63
miscellaneous matrix enzymes, 572
molecular properties, 566–67
NAD(P)H dehydrogenases, 563–70
NAD(P)H turnover in plant mitochondrial matrix, 570–72
perspectives, 581–82
reactive oxygen species, 572–81
substrate specificities, 565
superoxide dismutase, 578–79
total NAD(P), 570–71
transhydrogenases, 571–572
Mitosis
Chlamydomonas spp. and, 380–84
endosperm development and, 236–37, 239
Mitotic block release
endosperm development and, 246–49
Mo-containing nitrogenase
amino acid substitution studies, 282–85
catalysis, 272–73
electron transfer, 275–76
FeMo-cofactor, 280–82
future research, 287–88
introduction, 270–71
MgATP hydrolysis, 275–76
MoFe protein, 272–75, 277
nucleotides, 272–75, 277
overview, 270–71
P-clusters, 276–80
substrate binding, 280–87
substrate reduction, 280–87
summary, 287–88
switch I, 273–76
Molecular engineering
C_4 photosynthesis and, 297–310
Monophenols
history of research, 21
Monorhapidium braunii
macronutrient utilization and, 175
Monoterpenes
defensive resin biosynthesis in conifers and, 689–718
Monounsaturated fatty acids
seed-storage lipid biosynthesis and, 344–45
"Monsters"
Chlamydomonas spp. and, 381
Moricandia spp.
molecular engineering of C_4 photosynthesis and, 303
Mormordica charantia
ribosome-inactivating proteins and, 789–99
seed-storage lipid biosynthesis and, 348, 351
Morphinan alkaloids
alkaloid biosynthesis and, 39
Morphine
alkaloid biosynthesis and, 36, 44, 47
Movement rhythms
circadian rhythms and, 141–42
Multiple circadian clocks
circadian rhythms and, 139, 152–53
Mycorrhizal metabolism
metabolic NMR and, 513
Myrsine laetevirens
endosperm development and, 242

N

Na^+/H^+ antiporter
tonoplast transporters and, 469, 479–80
NADPH turnover
mitochondria and oxidative stress, 561–82

NADP-isocitrate dehydrogenase
mitochondria and oxidative stress, 561–82
NADP-ME enyme
molecular engineering of C4 photosynthesis and, 309
Nar2 genes
macronutrient utilization and, 171
National Institute of Science
history of research, 25–26
Negative feedback loop
circadian rhythms and, 148
Nepentes alata
transporters for nitrogenous solutes and, 670–71, 677
Neurospora crassa
macronutrient utilization and, 179
mitochondria and oxidative stress, 565–66
plasma membrane H^+-ATPases and, 829
tonoplast transporters and, 471, 476
Nia genes
macronutrient utilization and, 175–77
Nicotiana plumbaginifolia
macronutrient utilization and, 173–74, 177
metabolic NMR and, 502
mitochondria and oxidative stress, 578
molecular engineering of C_4 photosynthesis and, 303–4
plasma membrane H^+-ATPases and, 820–25, 827, 833
transporters for nitrogenous solutes and, 664
Nicotiana rustica
alkaloid biosynthesis and, 53
Nicotiana spp.
cytokinesis and cell plate building, 758
Nicotiana sylvestris
alkaloid biosynthesis and, 48
transporters for nitrogenous solutes and, 670
Nicotiana tabacum
alkaloid biosynthesis and, 33, 52
ascorbic acid biosynthesis and, 449
defensive resin biosynthesis in conifers and, 711
mitochondria and oxidative stress, 578
Nii genes
macronutrient utilization and, 177, 179
Nit2 gene
macronutrient utilization and, 175
Nitrate-nitrite porter family
transporters for nitrogenous solutes and, 663–64
Nitrates
macronutrient utilization and, 174–77
transporters for nitrogenous solutes and, 659, 661–65
Nitrate reductase
macronutrient utilization and, 175–77
Nitrites
macronutrient utilization and, 174–77
Nitrite reductase
macronutrient utilization and, 175–77
Nitrogen
macronutrient utilization and, 163, 165–80
metabolic NMR and, 499, 511–12
molecular engineering of C_4 photosynthesis and, 297–310
Nitrogenase
Mo-based, 269–88
Nitrogenous solutes
transporters for uptake and partitioning of
AAAP family, 669–72
amino acid transporters, 668–75
ammonium transporters, 666–68
AMT family, 667–69
APC family, 669
endomembrane nitrate transport, 665–66
future research, 678–80
introduction, 660–61
nitrate efflux systems, 665
nitrate-nitrite porter family, 663–64
nitrate transporters, 661–65
peptide transporters, 662–63, 675–77
purine and purine-derivative transporters, 677–78
vacuole, 675
Non-climacteric ripening
fruit maturation and ripening, 727
Non-proton-pumping dehydrogenases
mitochondria and oxidative stress, 561–82
(S)-Norcoclaurine
alkaloid biosynthesis and, 37–38
(S)-Norlaudanosoline

alkaloid biosynthesis and, 38
Nrg gene
macronutrient utilization and, 175
Nrt2 genes
macronutrient utilization and, 171
N-terminal amino acid sequence
segment missing
gibberellin signaling and, 71
Nuclear division
cytokinesis and cell plate building, 769–70
Nuclear magnetic resonance (NMR)
metabolic, 499–517
Nuclear membrane
endosperm development and, 233
Nuclear migration
endosperm development and, 233, 239
Nucleic acid scission
ribosome-inactivating proteins and, 784–804
Nucleolus
Chlamydomonas spp. and, 368
Nucleotide transduction
Mo-based nitrogenase and, 273–74
Nucleus
Chlamydomonas spp. and, 368
Nutrient limitation
macronutrient utilization and, 163, 188–91
Nutrient uptake
Chlamydomonas spp. and, 385–86
organic anion exudation from roots and, 527–50
plasma membrane H^+-ATPases and, 817–35
transporters for nitrogenous solutes and, 659–80

O

Ochromonas danica
ascorbic acid biosynthesis and, 447
ODC gene
alkaloid biosynthesis and, 48, 53
Oenothera biennis
seed-storage lipid biosynthesis and, 346
Oil seeds
seed-storage lipid biosynthesis and, 335–54
Okadaic acid-sensitive phosphatases
guard cell signal transduction and, 641
ole mutants
endosperm development and, 251
Oleoresin
defensive resin biosynthesis in conifers and, 689–718
Oncogenes
alkaloid biosynthesis and, 51
One-carbon metabolism
higher plants and
activated methyl cycle, 127–28
S-adenosylhomocysteine, 127–28
S-adenosylmethionine, 127–28
C_1 folate interconversions, 124–25
enzymes, 120–23
fluxes, 130
folate-independent C_1 reactions, 125–27
folate-mediated C_1 reactions, 121, 123–25
formaldehyde, 125–26
formate, 124, 126–27
genes, 120–23
glyoxylate, 127
introduction, 120
metabolism overview, 120–21
methanol, 125
methionine, 127–28
S-methylmethionine cycle, 128–29
pools, 130
serine-glycine interconversion, 121, 123–24
metabolic NMR and, 511
Ophiostoma spp.
defensive resin biosynthesis in conifers and, 693
ORCA gene
alkaloid biosynthesis and, 50
Organelle fission
plastid division and, 315–27
Organic anion exudation from roots
Al^{3+} tolerance, 533, 540–43
balancing charges, 544–45
cluster root development, 536
degradation of organic anions in soil, 535
efflux, 540–45
environmental signals, 536
function, 529–33
genetics, 545–49
heavy metals, 531–33
internal concentrations, 538–39
introduction, 528–29

maize, 542–43
manipulating organic acid biosynthesis, 545–48
manipulating organic ion transport, 548–49
measuring organic organic ion concentrations in soil solution, 534–35
metabolism, 536–38
metal-ion stress, 538
miscellaneous nutrients, 531–33
miscellaneous systems, 544
modeling organic ion concentrations in soils, 534
phosphorus, 530–31, 536–38
proteins, 543–44
regulation, 535–45
rhizosphere, 534–35
root development, 536
summary, 549–50
wheat, 540–42
Ortho-diphenols
history of research, 21
Orthologs
gibberellin signaling and, 71–72, 74–75
Osmolarity
Chlamydomonas spp. and, 368–69
guard cell signal transduction and, 643–44
Ostrinia nubilalis
ribosome-inactivating proteins and, 792
Oxalate
ascorbic acid biosynthesis and, 437–59
Oxidases
mitochondria and oxidative stress, 561–82
Oxidative stress
mitochondria and, 561–82
Oxirane groups
seed-storage lipid biosynthesis and, 335–54
Oxygen
macronutrient utilization and, 163
mitochondria and oxidative stress, 561–82

P

P700 primary electron donor
photosystem I and, 593, 605–10
Paleoclimate
isoprene emission and, 425–27
Palmatine
alkaloid biosynthesis and, 36, 39
Panicum spp.
molecular engineering of C_4 photosynthesis and, 303–6
Papaver somniferum
alkaloid biosynthesis and, 32–33, 36, 38, 40, 52
endosperm development and, 243
Paraserianthes falcataria
organic anion exudation from roots and, 532, 538
Partitioning
transporters for nitrogenous solutes and, 659–80
P-clusters
Mo-based nitrogenase and, 276–80
Pdk gene
molecular engineering of C_4 photosynthesis and, 304–5
Pea
gibberellin signaling and, 74–75
Peganum harmala
alkaloid biosynthesis and, 52, 54
PEPC gene
molecular engineering of C_4 photosynthesis and, 307–8
PEP-CK enzyme
molecular engineering of C_4 photosynthesis and, 309
Peptide transporters
transporters for nitrogenous solutes and, 659, 662–63, 675–77
per-1 mutant
endosperm development and, 251
Petunia spp
mitochondria and oxidative stress, 578
pfc mutant
endosperm development and, 254
Phaseolus coccineus
circadian rhythms and, 152
Phaseolus lunatus
cytokinin metabolism and action, 99
Phaseolus vulgaris
circadian rhythms and, 152
cytokinin metabolism and action, 95, 99, 101, 106
endosperm development and, 242
isoprene emission and, 414
Phenols
history of research, 21
Phenotype
metabolic NMR and, 499–517
Phenylalanine
alkaloid biosynthesis and, 52, 55
Phenylurea-type cytokinins
cytokinin metabolism and action, 92, 95

Pheromone signaling
defensive resin biosynthesis in conifers and, 689–718
Phloem loading
plasma membrane H^+-ATPases and, 823–24
pho mutants
macronutrient utilization and, 187–88
Phosphatases
macronutrient utilization and, 185–87
Phosphate
macronutrient utilization and, 163, 185, 186–90
Phosphatidic acid
guard cell signal transduction and, 636–37
Phospholipases
cellular functions, 222
conclusions, 224–25
introduction, 211–13
lysophospholipases, 222–23
network of phospholipases in cellular function, 224
phospholipase A_1, 222–23
phospholipase A_2
catalysis, 221–22
cellular functions, 222
identification, 221–22
subfamilies, 220–21
phospholipase B, 222–23
phospholipase C
catalysis, 217–19
cellular functions, 219–20
regulation, 217–19
subfamilies, 216–17
phospholipase D
activation, 214–15
catalysis, 213
cellular functions, 215–16
regulation, 214–15
subfamilies, 213
substrate specificity, 213–14
Phosphomannose isomerase
ascorbic acid biosynthesis and, 443–44
Phosphomannose mutase
ascorbic acid biosynthesis and, 444
Phosphorelay signal transduction
cytokinin metabolism and action, 102–3
Phosphorus
macronutrient utilization and, 188–89
organic anion exudation from roots and, 527, 530–31, 536–38
Phosphorylation
guard cell signal transduction and, 642–43
metabolic NMR and, 512–13
Photoperiodism
circadian rhythms and, 139–54
Photorespiration
one-carbon metabolism and, 119
Photosynthesis
C_4
molecular engineering of, 297–310
Chlamydomonas spp. and, 363
guard cell signal transduction and, 627–47
isoprene emission and, 407, 415–17
metabolic NMR and, 508–9
photosystem I and, 593–616
plastid division and, 315–27
Photosynthetic eukaryotes
macronutrient utilization and, 163–92
Photosystem I
biogenesis, 614–15
conclusions, 615–16
cyclic electron transfer, 611–12
dynamics, 612–15
early acceptors, 607–8
electron transfer pathway, 605–12
energy transfer pathways, 599–604
excitation energy transfer, 604–5
Fe-S clusters, 608
ferredoxin reduction, 610–11
internal antenna, 604–5
introduction, 594
light-harvesting complexes, 604
P700, 605–10
physiology, 612–15
plastocyanin, 608–10
protein cofactors, 598–99
protein subunits, 598
architecture, 594–95
functions, 595–98
redox, 609–11
regulation of relative level, 612–14
Phototaxis
Chlamydomonas spp. and, 363, 379–80
Phragmoplastin
cytokinesis and cell plate building, 751, 757–58
Phragmoplasts
cytokinesis and cell plate building, 751–74
endosperm development and, 233, 236–37, 239
Physcomitrella spp.
cytokinin metabolism and action, 97
Phytotron

history of research, 14–15, 20–22
Picea spp.
defensive resin biosynthesis in conifers and, 690, 694, 696–97
isoprene emission and, 424
Pichia spp.
cytokinin metabolism and action, 98
pilz mutant
endosperm development and, 240
Pinus spp.
defensive resin biosynthesis in conifers and, 690, 697
Pistia stratiotes
ascorbic acid biosynthesis and, 442
Pisum spp.
guard cell signal transduction and, 631, 640–42
transporters for nitrogenous solutes and, 670
"Pitching out"
defensive resin biosynthesis in conifers and, 697
Plantago major
plasma membrane H^+-ATPases and, 824
Plasma membrane
guard cell signal transduction and, 642–44
H^+-ATPases and, 817–35
transporters for nitrogenous solutes and, 659–80
Plasmids
Chlamydomonas spp. and, 363
Plastid division
evolutionary origin of division apparatus, 317
introduction, 316
morphological aspects, 316–17
Plastocyanin
photosystem I and, 608–10
Plastocyanin-ferredoxin-oxidoreductase
photosystem I and, 593–616
Ploidia interpunctella
ribosome-inactivating proteins and, 792
PMT gene
alkaloid biosynthesis and, 48
Polio evaluation trials
history of research, 1, 23–24
Polyamine derivatives
alkaloid biosynthesis and, 53
Polygonum spp.
endosperm development and, 239
Polyphenols
history of research, 21
Polysaccharides
cytokinesis and cell plate building, 751, 765–68
Polyunsaturated fats
seed-storage lipid biosynthesis and, 339, 346
Pools
one-carbon metabolism and, 130
Positional signaling
endosperm development and, 233
Positive regulation
gibberellin signaling and, 77
Potato
molecular engineering of C_4 photosynthesis and, 297–310
plant phospholipases and, 217, 220
PP2C mutants
guard cell signal transduction and, 639–40
Ppc genes
molecular engineering of C_4 photosynthesis and, 303–6
PPDK enzyme
molecular engineering of C4 photosynthesis and, 308–9
Preprophase band
cytokinesis and cell plate building, 754–55
Pressure probe
cohesion-tension and water uptake, 847, 855–60
Prokaryotes
plastid division and, 315, 317–27
Protein-based phylogenetics
defensive resin biosynthesis in conifers and, 708–12
Protein kinases
guard cell signal transduction and, 640–41
Protein synthesis inhibitor
ribosome-inactivating proteins and, 785–804
Protoberberine
alkaloid biosynthesis and, 39
Proton pump
mitochondria and oxidative stress, 561
plasma membrane H^+-ATPases and, 817–35
tonoplast transporters and, 469–88
Protopine
alkaloid biosynthesis and, 39
Prototheca moriformis
ascorbic acid biosynthesis

and, 446
Pseudomonas aeruginosa
ascorbic acid biosynthesis and, 443, 445
organic anion exudation from roots and, 547
Pseudotsuga menzesii
defensive resin biosynthesis in conifers and, 697
psr1 mutant
macronutrient utilization and, 189–90
Purines
alkaloid biosynthesis and, 43
ribosome-inactivating proteins and, 784–804
transporters for nitrogenous solutes and, 659, 677–78
Putrescine
alkaloid biosynthesis and, 41–42, 46, 48, 52–53
Pyrobaculum aerophilum
tonoplast transporters and, 476
Pythium spp.
ribosome-inactivating proteins and, 791
PZE40 gene
endosperm development and, 251

Q

Quantitative trait loci
fruit maturation and ripening, 732–33
Quaternary structure
plasma membrane H^+-ATPases and, 829
Quercus spp.
isoprene emission and, 424
Quinine
alkaloid biosynthesis and, 31

R

Radial microtubular systems
endosperm development and, 233, 241–46
Ranunculus scleratus
endosperm development and, 242–43
Rauwolfia serpentina
alkaloid biosynthesis and, 32, 34
rbcS gene
macronutrient utilization and, 177
molecular engineering of C_4 photosynthesis and, 303
R-domain
plasma membrane H^+-ATPases and, 833–34
REACH-OUT program
history of research, 26
Reactive oxygen species
macronutrient utilization and, 163
mitochondria and oxidative stress, 561–82
Receptors
cytokinin metabolism and action, 89, 103
plasma membrane H^+-ATPases and, 833–34
ribosome-inactivating proteins and, 799–800
Recombinant DNA technology
molecular engineering of C_4 photosynthesis and, 297–310
Redox
isoprene emission and, 407
Mo-based nitrogenase and, 269–88
photosystem I and, 593, 609–11
Refilling mechanisms
cohesion-tension and water uptake, 860–61
Resin biosynthesis
in conifers
defensive, 689–718
(S)-Reticuline
alkaloid biosynthesis and, 40, 44
Retrograde transport
ribosome-inactivating proteins and, 800
Reverse genetics
guard cell signal transduction and, 645–46
Rhizoctonia solani
ribosome-inactivating proteins and, 792
Rhizophagus spp.
defensive resin biosynthesis in conifers and, 696
Rhizosphere
organic anion exudation from roots and, 527–50
Rhodococcus fascians
cytokinin metabolism and action, 98
Rhodospirillum rubrum
Mo-based nitrogenase and, 270
tonoplast transporters and, 476
Rht mutant
gibberellin signaling and, 71–72
Ribes nigrum
seed-storage lipid biosynthesis and, 346
28S Ribosomal RNA
ribosome-inactivating proteins and, 785–804
Ribosome-inactivating proteins (RIPs)
antiviral activity, 796–97
background, 786–87
classification, 787–89
compartmentalized RIPs, 798
cytosolic RIPs, 799

entry into cells, 797–801
future research, 804
introduction, 786
membrane interactions, 799–800
miscellaneous RIP enzymatic activities, 794–96
physiological manifestations of RIP activity, 801–4
purpose in plants, 791–94
receptor interactions, 799–800
retrograde transport, 800
ribosome susceptibility to RIP inactivation, 789–791
secreted RIPs, 798
Rice
gibberellin signaling and, 74–75
macronutrient utilization and, 167
molecular engineering of C_4 photosynthesis and, 297–310
Rice *dwarf-1* mutant
gibberellin signaling and, 77–78
Ricinus communis
defensive resin biosynthesis in conifers and, 711
ribosome-inactivating proteins and, 786
seed-storage lipid biosynthesis and, 347, 351, 353
transporters for nitrogenous solutes and, 669–70, 674
Ring structures
plastid division and, 315–27
Ripening
fruit maturation and, 725–41
rml1 mutant
macronutrient utilization and, 190
Rnases
macronutrient utilization and, 186–87
Roots
cohesion-tension and water uptake, 847–68
organic anion exudation and, 527–50
plasma membrane H^+-ATPases and, 825
Rosa spp.
seed-storage lipid biosynthesis and, 345
Rosin
defensive resin biosynthesis in conifers and, 689–718
Rotenone
mitochondria and oxidative stress, 561
Ryanodine
guard cell signal transduction and, 636

S

Saccharomyces cerevisiae
alkaloid biosynthesis and, 52
ascorbic acid biosynthesis and, 447–50
mitochondria and oxidative stress, 565, 568
organic anion exudation from roots and, 544–46
seed-storage lipid biosynthesis and, 346
tonoplast transporters and, 476, 479
transporters for nitrogenous solutes and, 680
Sac genes
macronutrient utilization and, 185
Sagan C, 17–18
Salutaridine
alkaloid biosynthesis and, 40
SAMS gene
alkaloid biosynthesis and, 48
Sanguinaria canadensis
alkaloid biosynthesis and, 39
Sanguinarine
alkaloid biosynthesis and, 36, 39, 47–49
α-Sarcin loop
ribosome-inactivating proteins and, 784–804
Saturated fatty acids
seed-storage lipid biosynthesis and, 339–44
Schizosaccharomyces pombe
cytokinesis and cell plate building, 754, 758
Scholander-Hammel pressure bomb
cohesion-tension and water uptake, 855–57
Sclerotinia sclerotiorum
ascorbic acid biosynthesis and, 447–48
Scolytus spp.
defensive resin biosynthesis in conifers and, 692
Scopolamine
alkaloid biosynthesis and, 46, 52–53
(S)-Scoulerine
alkaloid biosynthesis and, 39
Sechium edule
ribosome-inactivating proteins and, 798
Secologanin
alkaloid biosynthesis and, 31, 34, 52
Second messengers
guard cell signal

transduction and, 635–39
plant phospholipases and, 211–25
Secondary metabolites
alkaloid biosynthesis and, 29–55
Seed-storage lipids
biosynthesis of
acyl-ACP thioesterases, 340–41
acyl chain elongation, 337–38
acyltransferases, 342–44
channeling to membranes and triglycerides, 351–54
conclusions, 354
desaturation, 338
introduction, 336–37
β-ketoacyl synthases, 341–42
lipid bodies, 339
liquid waxes, 350–51
methylene-interrupted double bond, 346–48
miscellaneous mechanisms, 344
monounsaturated fatty acids, 344–45
polyunsaturated fats, 339, 346
release, 338
saturated fatty acids, 339–44
termination, 338
triacylglycerols, 337–39
very long chain fatty acids, 348–49
Selenastrum minitum
macronutrient utilization and, 188
Sequoia sempervirens
defensive resin biosynthesis in conifers and, 697
Serine-glycine interconversion
one-carbon metabolism and, 121, 123–24
Serotonin
alkaloid biosynthesis and, 29, 52–53
Serpentine
alkaloid biosynthesis and, 44
Sesquiterpenes
defensive resin biosynthesis in conifers and, 689–718
Sexual cycle
Chlamydomonas spp. and, 382–84
SGD gene
alkaloid biosynthesis and, 47
Shikimate
alkaloid biosynthesis and, 29, 52
shi mutation
gibberellin signaling and, 78
Signal transduction
alkaloid biosynthesis and, 29–30, 47–49
cytokinin metabolism and action, 89, 102–3
endosperm development and, 233
fruit maturation and ripening, 725
gibberellin signaling and, 67–83
guard cells and, 627–47
Mo-based nitrogenase and, 273–74
plant phospholipases and, 211–25
transporters for nitrogenous solutes and, 659–80
Silene vulgaris
tonoplast transporters and, 480
Simmondsia chinensis
seed-storage lipid biosynthesis and, 348, 350
Single Myb domain-binding proteins
circadian rhythms and, 148–49
Sitophilus zeamais
ribosome-inactivating proteins and, 791
slender mutation
gibberellin signaling and, 74
SLY1 gene
gibberellin signaling and, 77
Smirnoff-Wheeler pathway
ascorbic acid biosynthesis and, 440–43
Softening
cell wall
fruit maturation and ripening, 738–39
Soil
organic anion exudation from roots and, 527–50
Solanum tuberosum
alkaloid biosynthesis and, 52
transporters for nitrogenous solutes and, 670
Solute uptake
plasma membrane H^+-ATPases and, 825
Sorghum spp.
molecular engineering of C_4 photosynthesis and, 304
Soybean
macronutrient utilization and, 168
molecular engineering of C_4 photosynthesis and, 297–310
plant phospholipases and, 217

Specificity
endosperm development and, 233, 249–57
plant phospholipases and, 213–14
Sphacelaria spp.
cytokinesis and cell plate building, 757
Sphagnum fallax
metabolic NMR and, 511
Spodoptera frugiperda
ribosome-inactivating proteins and, 792
SPY protein
gibberellin signaling and, 76
Stable isotope labeling
metabolic NMR and, 499, 502–3
Starchy endosperm
endosperm development and, 233, 255–57
Star-shaped body
cytokinesis and cell plate building, 751, 761–62
Starvation
macronutrient utilization and, 163, 180–81, 185–91
Stelidota germinata
riLosome-inactivating proteins and, 791
Stems
guard cell signal transduction and, 627–47
Stomatal aperture
circadian rhythms and, 142
Stomatal closure
isoprene emission and, 420
Stomatal pores
guard cell signal transduction and, 627–47
Storage tissues
seed-storage lipid biosynthesis and, 335–54
STR1 gene
alkaloid biosynthesis and, 47, 49–51, 53
Streptomyces thermoautotrophicus
Mo-based nitrogenase and, 270
Stress
organic anion exudation from roots and, 527, 538
oxidative
mitochondria and, 561–82
Strictosidine
alkaloid biosynthesis and, 34, 52–53
Structure-function relationships
plasma membrane H^+-ATPases and, 829–35
Strychnine
alkaloid biosynthesis and, 31
Stylosanthes spp.
macronutrient utilization and, 168–69, 181
Subcellular compartmentation
alkaloid biosynthesis and, 29, 43–45
Substrate binding/reduction
Mo-based nitrogenase and, 269, 280–87
Substrate specificity
mitochondria and oxidative stress, 565
plant phospholipases and, 213–14
Sugarcane
molecular engineering of C_4 photosynthesis and, 297–310
Sulfate
macronutrient utilization and, 180–82
Sulfur
macronutrient utilization and, 163, 180–85
Sultr genes
macronutrient utilization and, 181–82
Superoxide dismutase
mitochondria and oxidative stress, 578–79
Survival
guard cell signal transduction and, 627–47
Sweet potato
history of research, 22
Switch I/II motifs
Mo-based nitrogenase and, 273–76
Symbiosis
microbial
defensive resin biosynthesis in conifers and, 693
Synechocystis spp.
circadian rhythms and, 153–54
photosystem I and, 596–97, 599, 603, 605–6, 609–12, 614–16
Syntaxins
cytokinesis and cell plate building, 759, 762–63, 765, 772
guard cell signal transduction and, 643

T

Tabernosine
alkaloid biosynthesis and, 34–35
tan1 mutant
endosperm development and, 256
Taxonomy
Chlamydomonas spp. and, 364–66
Taxus spp.
defensive resin biosynthesis in conifers and, 708, 710, 712
TDC gene
alkaloid biosynthesis and, 31, 47–51, 53–55

T-DNA knockouts
plasma membrane H^+-ATPases and, 817–35
Temperature
circadian rhythms and, 147–48
guard cell signal transduction and, 627–47
isoprene emission and, 407, 415
Tensile strength
cohesion-tension and water uptake, 849–52
Termination
seed-storage lipid biosynthesis and, 338
Terpenoid indole alkaloids
alkaloid biosynthesis and, 29, 31–36, 51–53
Tertiary structure
plasma membrane H^+-ATPases and, 829–30
Tetrad analysis
Chlamydomonas spp. and, 384
Tetrahydrofolate
one-carbon metabolism and, 120–27, 130
Thalassiosira weissflogii
macronutrient utilization and, 191
Thalictrum spp.
alkaloid biosynthesis and, 32, 38–40
Theobromine
alkaloid biosynthesis and, 43
Thermotolerance hypothesis
isoprene emission and, 407, 418–19
Thuja plicata
defensive resin biosynthesis in conifers and, 697
Thunbergia alata
seed-storage lipid biosynthesis and, 345
Thylakoids
alkaloid biosynthesis and, 29–55
photosystem I and, 593–616
Tip growing systems
plasma membrane H^+-ATPases and, 825–26
Tissue-specific localization
alkaloid biosynthesis and, 45–47
titan-1 mutant
endosperm development and, 240
Tobacco
alkaloid biosynthesis and, 48–49, 52–53
history of research, 6, 12
macronutrient utilization and, 167, 178
molecular engineering of C_4 photosynthesis and, 304
plant phospholipases and, 217
TOC genes
circadian rhythms and, 149–51
Tomato
fruit maturation and ripening, 725, 729–30, 732–40
macronutrient utilization and, 166–67
toneau mutant
endosperm development and, 256
Tonoplast membrane
alkaloid biosynthesis and, 29–55
Tonoplast transporters
aquaporins, 480–85
Ca^{2+}-ATPase, 478
Ca^{2+}-binding proteins, 485–86
Ca^{2+}/H^+ antiporter, 478–79
lipids, 487
metal ion transporters, 478–80
Na^+/H^+ antiporter, 479–80
overview, 470–71
perspectives, 487–88
TIPs, 481–85
unidentified transporters and channels, 486–87
V-ATPase, 471–76
VPPase, 476–78
zinc transporter, 480
Tpsd gene family
defensive resin biosynthesis in conifers and, 708
Tradescantia spp.
cytokinesis and cell plate building, 757
Tranhydrogenases
mitochondria and oxidative stress, 561–82
Transfer cells
endosperm development and, 233, 250
Transgenes
alkaloid biosynthesis and, 46, 49, 51, 53, 55
fruit maturation and ripening, 735
macronutrient utilization and, 178, 187
molecular engineering of C_4 photosynthesis and, 297, 302–3
photosystem I and, 609
ribosome-inactivating proteins and, 784–804
seed-storage lipid biosynthesis and, 341–42, 350, 353–54
Transient K^+ efflux currents
guard cell signal transduction and, 644
Transporters
organic anion exudation

from roots and, 548–49
nitrogenous solutes and, 659–80
tonoplast, 469–88
Transport vesicles
alkaloid biosynthesis and, 29–55
Triacylglycerides
seed-storage lipid biosynthesis and, 335–54
Triacylglycerols
seed-storage lipid biosynthesis and, 335–54
Trichoderma reesei
ribosome-inactivating proteins and, 791, 803
Trichoplusia ni
ribosome-inactivating proteins and, 791
Trichosanthes spp.
ribosome-inactivating proteins and, 793–94, 798
Trichosporium spp.
defensive resin biosynthesis in conifers and, 693
Triglycerides
seed-storage lipid biosynthesis and, 351–54
Tritrophic level interactions
defensive resin biosynthesis in conifers and, 689–718
Tropane alkaloids
alkaloid biosynthesis and, 29, 41–43, 53
Trypanosoma cruzi
tonoplast transporters and, 476
Tryptamine
alkaloid biosynthesis and, 34, 43, 47, 51–52, 54–55
Tryptophan
alkaloid biosynthesis and, 31, 34, 54–55
history of research, 21
Tsuga spp.
defensive resin biosynthesis in conifers and, 698
Tubocurarine
alkaloid biosynthesis and, 36
Tumor indication and production principles
history of research, 16
Tuskegee Institute
history of research, 1, 10–11, 16–18, 23–24
"Twins"
Chlamydomonas spp. and, 381
TYDC genes
alkaloid biosynthesis and, 36–37, 47, 51–52, 55
Tyramine
alkaloid biosynthesis and, 29, 36, 52
Tyrosine
alkaloid biosynthesis and, 37

U

University of Chicago Toxicology Lab
history of research, 9
University of Wisconsin
history of research, 6–8
Urochloa spp.
molecular engineering of C_4 photosynthesis and, 304, 306, 309

V

Vacuoles
alkaloid biosynthesis and, 29–55
Chlamydomonas spp. and, 368–69
guard cell signal transduction and, 635–36
tonoplast transporters and, 469–88
transporters for nitrogenous solutes and, 675
Vapor-seeding mechanisms
cohesion-tension and water uptake, 852–53
Variable root hydraulic resistance
cohesion-tension and water uptake, 862–63
V-ATPase complex
tonoplast transporters and, 469, 471–76
Vectors
defensive resin biosynthesis in conifers and, 689–718
Vegetative cell growth
Chlamydomonas spp. and, 380–82
Vernonia galementis
seed-storage lipid biosynthesis and, 348
Very long chain fatty acids
seed-storage lipid biosynthesis and, 348–49
Vesicles
alkaloid biosynthesis and, 29–55
cytokinesis and cell plate building, 751–74
Vicia faba
ascorbic acid biosynthesis and, 446
guard cell signal transduction and, 630–31, 636, 638, 640–41, 643
plasma membrane H^+-ATPases and, 824, 828
transporters for nitrogenous solutes and, 670
Vinblastine
alkaloid biosynthesis and, 31

Vinca rosea
cytokinin metabolism and action, 97–98
Vindoline
alkaloid biosynthesis and, 34–35, 43–44, 46
Viruses
history of research, 1, 23–24
plant phospholipases and, 213
ribosome-inactivating proteins and, 785, 796–97
Vitamin C
biosynthesis of, 437–59
Volatile organic carbon
isoprene emission and, 407
Volvocales
Chlamydomonas spp. and, 363–92
VPPase
tonoplast transporters and, 469, 476–78
vtC$_1$ gene
ascorbic acid biosynthesis and, 451–54
VTV (vesicle-tubule-vesicle) structures
cytokinesis and cell plate building, 751, 761–62

W

Water
cohesion-tension and water uptake, 847–68
guard cell signal transduction and, 627–47
isoprene emission and, 407
molecular engineering of C_4 photosynthesis and, 297–310
Waxes
seed-storage lipid biosynthesis and, 335, 350–51
Wheat
molecular engineering of C_4 photosynthesis and, 297–310
organic anion exudation from roots and, 540–42
Wheat *Rht* locus
gibberellin signaling and, 71–72
Wound site
defensive resin biosynthesis in conifers and, 689–718
isoprene emission and, 417
wx mutant
endosperm development and, 253

X

Xanthosine
alkaloid biosynthesis and, 43
xC$_1$ mutant
endosperm development and, 253
Xenopus laevis
guard cell signal transduction and, 631, 642–43
macronutrient utilization and, 171
tonoplast transporters and, 485
transporters for nitrogenous solutes and, 663, 667, 674
Xylem sap
cohesion-tension and water uptake, 853–54

Y

Ypt4 gene
Chlamydomonas spp. and, 368

Z

Zantedeschia spp.
cytokinin metabolism and action, 93
Zea mays
ascorbic acid biosynthesis and, 446
cytokinesis and cell plate building, 771
Zeatin *O*-glycosyltransferases
cytokinin metabolism and action, 99–100
Zeatin isomerase
cytokinin metabolism and action, 101
Zeatin reductase
cytokinin metabolism and action, 101
Zn^{2+}
tonoplast transporters and, 480
Zoysia japonica
molecular engineering of C_4 photosynthesis and, 306